











# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval









JL-001 - JL-010

|                                                                                    |                                                                                                                                                          |                                                                                       |                                                                                                                                                |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <div><b>JL-001</b></div> <div>PROFILE</div> <div><b>Main size:</b> 17 W × 47.4 H<br/><b>Other dimensions:</b> 38.5 inner height; 24 channel height</div> |    | <div><b>JL-002</b></div> <div>PROFILE</div> <div><b>Main size:</b> 64.2 W<br/><b>Other dimensions:</b> 15.6 top width; 24 channel height</div> |
|    | <div><b>JL-003</b></div> <div>PROFILE</div> <div><b>Main size:</b> 80 W × 40 H<br/><b>Other dimensions:</b> —</div>                                      |    | <div><b>JL-004</b></div> <div>PROFILE</div> <div><b>Main size:</b> 53 W × 78 H<br/><b>Other dimensions:</b> —</div>                            |
|    | <div><b>JL-005</b></div> <div>PROFILE</div> <div><b>Main size:</b> 82.5 W<br/><b>Other dimensions:</b> 49 inner length; 18 left/base section</div>       |    | <div><b>JL-006</b></div> <div>PROFILE</div> <div><b>Main size:</b> 64.2 W × 67.2 H<br/><b>Other dimensions:</b> 17.5 mounting section</div>    |
|  | <div><b>JL-007</b></div> <div>PROFILE</div> <div><b>Main size:</b> 54 W × 37 H<br/><b>Other dimensions:</b> 23 channel height</div>                      |  | <div><b>JL-008</b></div> <div>PROFILE</div> <div><b>Main size:</b> 18 W × 27.5 H<br/><b>Other dimensions:</b> 16 inner/channel height</div>    |
|  | <div><b>JL-009</b></div> <div>PROFILE</div> <div><b>Main size:</b> 28 W × 21.8 H<br/><b>Other dimensions:</b> 3 profile thickness</div>                  |  | <div><b>JL-010</b></div> <div>PROFILE</div> <div><b>Main size:</b> 49.3 W × 41.5 H<br/><b>Other dimensions:</b> 21 channel height</div>        |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-011 - JL-020

|                                                                                       |                                                                                                        |                |
|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------|----------------|
|      | <p><b>JL-011</b></p> <p><b>Main size:</b> 28 W × 16.5 H<br/><b>Other dimensions:</b> —</p>             | <p>PROFILE</p> |
|    | <p><b>JL-012</b></p> <p><b>Main size:</b> 37 W<br/><b>Other dimensions:</b> 11 grip width</p>          | <p>PROFILE</p> |
|      | <p><b>JL-013</b></p> <p><b>Main size:</b> 16 W × 26 H<br/><b>Other dimensions:</b> 13 grip height</p>  | <p>PROFILE</p> |
|    | <p><b>JL-014</b></p> <p><b>Main size:</b> 15.3 W × 27 H<br/><b>Other dimensions:</b> 7 grip width</p>  | <p>PROFILE</p> |
|      | <p><b>JL-015</b></p> <p><b>Main size:</b> 31 W<br/><b>Other dimensions:</b> 7 grip width</p>           | <p>PROFILE</p> |
|    | <p><b>JL-016</b></p> <p><b>Main size:</b> 15 W × 30 H<br/><b>Other dimensions:</b> 5.4 grip width</p>  | <p>PROFILE</p> |
|    | <p><b>JL-017</b></p> <p><b>Main size:</b> 18 W × 34 H<br/><b>Other dimensions:</b> 15 bulb width</p>   | <p>PROFILE</p> |
|  | <p><b>JL-018</b></p> <p><b>Main size:</b> 26 W × 16 H<br/><b>Other dimensions:</b> —</p>               | <p>PROFILE</p> |
|    | <p><b>JL-019</b></p> <p><b>Main size:</b> 19 W × 25 H<br/><b>Other dimensions:</b> 12.5 bulb width</p> | <p>PROFILE</p> |
|  | <p><b>JL-020</b></p> <p><b>Main size:</b> 9 W × 24.5 H<br/><b>Other dimensions:</b> 14 grip height</p> | <p>PROFILE</p> |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval










JL-021 - JL-030

|                                                                                       |                                                                                                         |                |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------|
|       | <p><b>JL-021</b></p> <p><b>Main size:</b> 18 W × 32 H<br/><b>Other dimensions:</b> —</p>                | <p>PROFILE</p> |
|    | <p><b>JL-022</b></p> <p><b>Main size:</b> 25 W<br/><b>Other dimensions:</b> 10 grip width</p>           | <p>PROFILE</p> |
|       | <p><b>JL-023</b></p> <p><b>Main size:</b> 13 W × 26.5 H<br/><b>Other dimensions:</b> 11 grip width</p>  | <p>PROFILE</p> |
|    | <p><b>JL-024</b></p> <p><b>Main size:</b> 16.5 W × 26 H<br/><b>Other dimensions:</b> 11 grip height</p> | <p>PROFILE</p> |
|       | <p><b>JL-025</b></p> <p><b>Main size:</b> 27 H<br/><b>Other dimensions:</b> 5 grip width</p>            | <p>PROFILE</p> |
|    | <p><b>JL-026</b></p> <p><b>Main size:</b> 32 H<br/><b>Other dimensions:</b> 9.5 grip width</p>          | <p>PROFILE</p> |
|     | <p><b>JL-027</b></p> <p><b>Main size:</b> 52 W × 18 H<br/><b>Other dimensions:</b> —</p>                | <p>PROFILE</p> |
|  | <p><b>JL-028</b></p> <p><b>Main size:</b> 38 W × 18 H<br/><b>Other dimensions:</b> 11 grip width</p>    | <p>PROFILE</p> |
|     | <p><b>JL-029</b></p> <p><b>Main size:</b> 16 W × 38 H<br/><b>Other dimensions:</b> —</p>                | <p>PROFILE</p> |
|  | <p><b>JL-030</b></p> <p><b>Main size:</b> 18 W × 28 H<br/><b>Other dimensions:</b> 11 grip height</p>   | <p>PROFILE</p> |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-031 - JL-040

|                                                                                       |                                                                                                         |                |
|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------|----------------|
|      | <p><b>JL-031</b></p> <p><b>Main size:</b> 13 W × 30 H<br/><b>Other dimensions:</b> —</p>                | <p>PROFILE</p> |
|    | <p><b>JL-032</b></p> <p><b>Main size:</b> 19 W × 23.5 H<br/><b>Other dimensions:</b> 10 grip height</p> | <p>PROFILE</p> |
|      | <p><b>JL-033</b></p> <p><b>Main size:</b> 18 W × 30 H<br/><b>Other dimensions:</b> 10 grip height</p>   | <p>PROFILE</p> |
|    | <p><b>JL-034</b></p> <p><b>Main size:</b> 25 W × 15 H<br/><b>Other dimensions:</b> —</p>                | <p>PROFILE</p> |
|      | <p><b>JL-035</b></p> <p><b>Main size:</b> 19 W × 31 H<br/><b>Other dimensions:</b> 15 base width</p>    | <p>PROFILE</p> |
|    | <p><b>JL-036</b></p> <p><b>Main size:</b> 15.5 W × 29 H<br/><b>Other dimensions:</b> —</p>              | <p>PROFILE</p> |
|    | <p><b>JL-037</b></p> <p><b>Main size:</b> 16 W<br/><b>Other dimensions:</b> 11.5 grip height</p>        | <p>PROFILE</p> |
|  | <p><b>JL-038</b></p> <p><b>Main size:</b> 12 W × 28 H<br/><b>Other dimensions:</b> 16.5 grip height</p> | <p>PROFILE</p> |
|    | <p><b>JL-039</b></p> <p><b>Main size:</b> 19 W × 27 H<br/><b>Other dimensions:</b> 14 bulb width</p>    | <p>PROFILE</p> |
|  | <p><b>JL-040</b></p> <p><b>Main size:</b> 31 W<br/><b>Other dimensions:</b> 11 grip width</p>           | <p>PROFILE</p> |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-041 - JL-050

|                                                                                       |                                                                                                                                                      |         |
|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|      | <p><b>JL-041</b></p> <p><b>Main size:</b> 15 W × 18 H<br/><b>Other dimensions:</b> 8 channel height</p>                                              | PROFILE |
|    | <p><b>JL-042</b></p> <p><b>Main size:</b> 32 H<br/><b>Other dimensions:</b> 16.5 bulb height</p>                                                     | PROFILE |
|      | <p><b>JL-043</b></p> <p><b>Main size:</b> 17 W × 11 H<br/><b>Other dimensions:</b> —</p>                                                             | PROFILE |
|    | <p><b>JL-044</b></p> <p><b>Main size:</b> 24 H<br/><b>Other dimensions:</b> 18 grip height; 5 grip width</p>                                         | PROFILE |
|      | <p><b>JL-045</b></p> <p><b>Main size:</b> 18 W × 29 H<br/><b>Other dimensions:</b> 11 grip height</p>                                                | PROFILE |
|    | <p><b>JL-046</b></p> <p><b>Main size:</b> 15.5 W × 27 H<br/><b>Other dimensions:</b> 12 grip height</p>                                              | PROFILE |
|    | <p><b>JL-047</b></p> <p><b>Main size:</b> 20 W × 24 H<br/><b>Other dimensions:</b> —</p>                                                             | PROFILE |
|  | <p><b>JL-048</b></p> <p><b>Main size:</b> 19 W × 30 H<br/><b>Other dimensions:</b> 11 grip height</p>                                                | PROFILE |
|    | <p><b>JL-049</b></p> <p><b>Main size:</b> Local dimensions shown<br/><b>Other dimensions:</b> 4 grip width; 2.5 upper section; 4.5 lower section</p> | PROFILE |
|  | <p><b>JL-050</b></p> <p><b>Main size:</b> 44 W<br/><b>Other dimensions:</b> 34 outer opening; 24 inner opening</p>                                   | PROFILE |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-051 - JL-060

|                                                                                     |                                                                                                                                                                     |                                                                                       |                                                                                                                                                  |
|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <p><b>JL-051</b></p> <p><b>Main size:</b> 18 upper W × 20 H<br/><b>Other dimensions:</b> 16 base width</p> <p>PROFILE</p>                                           |    | <p><b>JL-052</b></p> <p><b>Main size:</b> 14 W × 9.5 H<br/><b>Other dimensions:</b> —</p> <p>PROFILE</p>                                         |
|    | <p><b>JL-053</b></p> <p><b>Main size:</b> Developed length 32<br/><b>Other dimensions:</b> 4 upper gap; 4 local height; 4 lower width</p> <p>PROFILE</p>            |    | <p><b>JL-054</b></p> <p><b>Main size:</b> 21.3 W × 5.5 H<br/><b>Other dimensions:</b> 18 inner length</p> <p>PROFILE</p>                         |
|    | <p><b>JL-055</b></p> <p><b>Main size:</b> Local dimensions shown<br/><b>Other dimensions:</b> 5 grip width; 6.5 upper section; 2.5 lower section</p> <p>PROFILE</p> |    | <p><b>JL-056</b></p> <p><b>Main size:</b> 15 W<br/><b>Other dimensions:</b> 10 center width; 6 upper height; 5.5 lower height</p> <p>PROFILE</p> |
|  | <p><b>JL-057</b></p> <p><b>Main size:</b> 38.5 W<br/><b>Other dimensions:</b> 32.5 inner width</p> <p>PROFILE</p>                                                   |  | <p><b>JL-058</b></p> <p><b>Main size:</b> 36 W<br/><b>Other dimensions:</b> 8 return depth</p> <p>PROFILE</p>                                    |
|  | <p><b>JL-059</b></p> <p><b>Main size:</b> 30 W<br/><b>Other dimensions:</b> 10 center cap width</p> <p>PROFILE</p>                                                  |  | <p><b>JL-060</b></p> <p><b>Main size:</b> 30 W<br/><b>Other dimensions:</b> 12.5 center cap width</p> <p>PROFILE</p>                             |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-061 - JL-070

|                                                                                    |                                                                                                                                                                     |                                                                                       |                                                                                                                                                      |
|------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <p><b>JL-061</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> Developed length 39<br/><b>Other dimensions:</b> 5 grip width; 4.5 lip width; 3.5 upper section</p> |    | <p><b>JL-062</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> Developed length 47<br/><b>Other dimensions:</b> 15 base width; 7 profile height</p> |
|    | <p><b>JL-063</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> 8 W × 10 H<br/><b>Other dimensions:</b> 5 stem width</p>                                            |    | <p><b>JL-064</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> 18 W<br/><b>Other dimensions:</b> 5 flange height; 2 web thickness</p>               |
|    | <p><b>JL-065</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> 18 W × 9 H<br/><b>Other dimensions:</b> 10 top bulb width</p>                                       |    | <p><b>JL-066</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> 24.5 W<br/><b>Other dimensions:</b> 11 inner opening</p>                             |
|  | <p><b>JL-067</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> 8 W × 15 H<br/><b>Other dimensions:</b> 5 base width</p>                                            |  | <p><b>JL-068</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> 45.5 L<br/><b>Other dimensions:</b> 6 mounting tab width</p>                         |
|  | <p><b>JL-069</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> Developed length 84<br/><b>Other dimensions:</b> 44 base width; 13 slot width</p>                   |  | <p><b>JL-070</b></p> <p><b>PROFILE</b></p> <p><b>Main size:</b> 28 W × 27 H<br/><b>Other dimensions:</b> —</p>                                       |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-071 - JL-080

|                                                                                       |                                                                                                                                                       |         |
|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|       | <p><b>JL-071</b></p> <p><b>Main size:</b> Developed length 31<br/><b>Other dimensions:</b> 26 base width; 8 slot width</p>                            | PROFILE |
|    | <p><b>JL-072</b></p> <p><b>Main size:</b> 26 W<br/><b>Other dimensions:</b> 16.5 cavity width</p>                                                     | PROFILE |
|       | <p><b>JL-073</b></p> <p><b>Main size:</b> 107 L<br/><b>Other dimensions:</b> —</p>                                                                    | PROFILE |
|    | <p><b>JL-074</b></p> <p><b>Main size:</b> 25 W × 42 H<br/><b>Other dimensions:</b> 17 inner width</p>                                                 | PROFILE |
|       | <p><b>JL-075</b></p> <p><b>Main size:</b> Developed length 66.5<br/><b>Other dimensions:</b> 18 mounting width</p>                                    | PROFILE |
|    | <p><b>JL-076</b></p> <p><b>Main size:</b> Local dimensions shown<br/><b>Other dimensions:</b> 4 upper thickness; 4 center gap; 4 lower/base width</p> | PROFILE |
|     | <p><b>JL-077</b></p> <p><b>Main size:</b> 22 W × 97 H<br/><b>Other dimensions:</b> 12 slot width</p>                                                  | PROFILE |
|  | <p><b>JL-078</b></p> <p><b>Main size:</b> Developed length 81<br/><b>Other dimensions:</b> 46 base width; 44 body height</p>                          | PROFILE |
|     | <p><b>JL-079</b></p> <p><b>Main size:</b> Developed length 77<br/><b>Other dimensions:</b> 50 leg height; 5 top thickness</p>                         | PROFILE |
|  | <p><b>JL-080</b></p> <p><b>Main size:</b> Developed length 79<br/><b>Other dimensions:</b> 22 base width; 13 slot width</p>                           | PROFILE |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-081 - JL-090

|                                                                                    |                                                                                                                                                                |                                                                                       |                                                                                                                                                                    |
|------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|    | <div><b>JL-081</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> 18 W × 65 H<br/><b>Other dimensions:</b> 47 body height</div>                        |    | <div><b>JL-082</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> Developed length 66<br/><b>Other dimensions:</b> 22 base width; 14 slot width</div>      |
|    | <div><b>JL-083</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> Developed length 61<br/><b>Other dimensions:</b> 14 slot width</div>                 |    | <div><b>JL-084</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> Developed length 74<br/><b>Other dimensions:</b> 19 slot width</div>                     |
|    | <div><b>JL-085</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> Developed length 98<br/><b>Other dimensions:</b> 61 body height; 24 slot width</div> |    | <div><b>JL-086</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> 16 W × 21 H<br/><b>Other dimensions:</b> 14 bulb width</div>                             |
|  | <div><b>JL-087</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> 16 W × 9 H<br/><b>Other dimensions:</b> —</div>                                      |  | <div><b>JL-088</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> 10 W × 14 H<br/><b>Other dimensions:</b> —</div>                                         |
|  | <div><b>JL-089</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> 11 W × 10 H<br/><b>Other dimensions:</b> —</div>                                     |  | <div><b>JL-090</b></div> <div><b>PROFILE</b></div> <div><b>Main size:</b> 13 base W × 11 bulb H<br/><b>Other dimensions:</b> 12 bulb width; 2 base thickness</div> |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-091 - JL-100

|                                                                                       |                                                                                                                                  |         |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------|---------|
|       | <p><b>JL-091</b></p> <p><b>Main size:</b> 20 W × 18 H<br/><b>Other dimensions:</b> 12 top width</p>                              | PROFILE |
|    | <p><b>JL-092</b></p> <p><b>Main size:</b> 13.3 W × 18 H<br/><b>Other dimensions:</b> —</p>                                       | PROFILE |
|       | <p><b>JL-093</b></p> <p><b>Main size:</b> 15 W × 13 H<br/><b>Other dimensions:</b> —</p>                                         | PROFILE |
|    | <p><b>JL-094</b></p> <p><b>Main size:</b> 15 base W × 19 H<br/><b>Other dimensions:</b> 14.5 bulb width</p>                      | PROFILE |
|       | <p><b>JL-095</b></p> <p><b>Main size:</b> 16.5 base W × 13 H<br/><b>Other dimensions:</b> 15 top width; 2 base/leg thickness</p> | PROFILE |
|    | <p><b>JL-096</b></p> <p><b>Main size:</b> 7.5 base W<br/><b>Other dimensions:</b> 7.3 upper section</p>                          | PROFILE |
|      | <p><b>JL-097</b></p> <p><b>Main size:</b> 18.5 base W × 15.5 H<br/><b>Other dimensions:</b> —</p>                                | PROFILE |
|   | <p><b>JL-098</b></p> <p><b>Main size:</b> 11 W × 16 H<br/><b>Other dimensions:</b> —</p>                                         | PROFILE |
|     | <p><b>JL-099</b></p> <p><b>Main size:</b> 11.5 base W × 13 H<br/><b>Other dimensions:</b> —</p>                                  | PROFILE |
|  | <p><b>JL-100</b></p> <p><b>Main size:</b> 14 W × 12 H<br/><b>Other dimensions:</b> —</p>                                         | PROFILE |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval











JL-101 - JL-110

|                                                                                       |                                                                                                          |         |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------|---------|
|       | <b>JL-101</b><br><b>Main size:</b> 15 W × 18 H<br><b>Other dimensions:</b> —                             | PROFILE |
|    | <b>JL-102</b><br><b>Main size:</b> 21.5 W × 10 H<br><b>Other dimensions:</b> —                           | PROFILE |
|       | <b>JL-103</b><br><b>Main size:</b> 15 W × 15 H<br><b>Other dimensions:</b> —                             | PROFILE |
|    | <b>JL-104</b><br><b>Main size:</b> 16 base W × 19 H<br><b>Other dimensions:</b> 13.5 bulb width          | PROFILE |
|       | <b>JL-105</b><br><b>Main size:</b> 15 W × 19 H<br><b>Other dimensions:</b> —                             | PROFILE |
|    | <b>JL-106</b><br><b>Main size:</b> 9 W × 11 H<br><b>Other dimensions:</b> —                              | PROFILE |
|     | <b>JL-107</b><br><b>Main size:</b> 18 W × 20 H<br><b>Other dimensions:</b> —                             | PROFILE |
|  | <b>JL-108</b><br><b>Main size:</b> Developed length 14<br><b>Other dimensions:</b> 1.8 profile thickness | PROFILE |
|     | <b>JL-109</b><br><b>Main size:</b> 16.3 W × 18 H<br><b>Other dimensions:</b> —                           | PROFILE |
|  | <b>JL-110</b><br><b>Main size:</b> 12.5 W × 13 H<br><b>Other dimensions:</b> —                           | PROFILE |

# Extruded Rubber Seal Profile Size Chart

120 reference profiles | Dimensions in millimetres | Final geometry subject to drawing approval

JL-111 - JL-120

|                                                                                       |                                                                                                                                                                                  |         |
|---------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|
|      | <b>JL-111</b><br><b>Main size:</b> 12.5 base W × 15.5 H<br><b>Other dimensions:</b> 11 upper width                                                                               | PROFILE |
|    | <b>JL-112</b><br><b>Main size:</b> 15 W × 17 H<br><b>Other dimensions:</b> —                                                                                                     | PROFILE |
|      | <b>JL-113</b><br><b>Main size:</b> 21 W × 11 H<br><b>Other dimensions:</b> —                                                                                                     | PROFILE |
|    | <b>JL-114</b><br><b>Main size:</b> 9 W × 16.5 H<br><b>Other dimensions:</b> —                                                                                                    | PROFILE |
|      | <b>JL-115</b><br><b>Main size:</b> 46 L<br><b>Other dimensions:</b> 15 end bulb width                                                                                            | PROFILE |
|    | <b>JL-116</b><br><b>Main size:</b> 9 W<br><b>Other dimensions:</b> 10 bulb height                                                                                                | PROFILE |
|    | <b>JL-117</b><br><b>Main size:</b> 25 L<br><b>Other dimensions:</b> —                                                                                                            | PROFILE |
|  | <b>JL-118</b><br><b>Main size:</b> 12 W × 11 H<br><b>Other dimensions:</b> —                                                                                                     | PROFILE |
|    | <b>JL-119</b><br><b>Main size:</b> 103 W<br><b>Other dimensions:</b> 57 upper section                                                                                            | PROFILE |
|  | <b>JL-120</b><br><b>Main size:</b> 15 base W<br><b>Other dimensions:</b> 12 inner width; 3 slot width; 22 blade height; 2 blade thickness; 2.5 lower section; 3/3 rail thickness | PROFILE |